Call forward setup guide on Deltapath system

1. Click "Line Features".

Т

G to the	https://frsip.ust.hk/	/lang=en		
💄 frSIP (JC Platform (v4.2.2)			
Main Pane	91			
	Voice Mail		Outgoing Fax	
Phoneboo	k			
87	User Speed Dial	8	User's Personal Phonebook	
Numberin	g Plan			
(F)	Line Features	>		
Personal	Settings			
	Change Voicemail PIN	—	Change Web Portal Password	

2. Click the pencil icon of the status "call forward specific".

Number Status		\ominus \otimes \otimes
	Search:	🛞 🔍 🛛 🔍 Advance Filter 👻
Status Name	Description	Owner
call forward specific	Redirect the call when you are u	2885 - Kevin CHAN
ring		2885 - Kevin CHAN
ring and vm		2885 - Kevin CHAN 🥔

3. Click the pencil icon of the step "1 Ring the following destination (Extension of the user)".

	lumber Statu					
Owner: 2885 - Kevin CHAN						
Name: call forward specific						
Description: Redirect the call when you are unavailable or busy						
Sta						
De	fault Routing	Busy Routing				
0	Add Step					
	Routing Ste	р				
1	Ring the fol	owing destination (ex	tension of the user)			
2	Forward to	mailbox owned by this	suser			ØX
					ОК	Cancel

- 4. In the "Routing Step Settings" window:
 - a. Tick the "Ring the following for" radio button.
 - b. Enter 25 for the seconds.
 - c. Select without Call Screening"

- d. Tick the "Other Number" box
- e. Type in the phone number to redirect the call. Remember to add a "9" first if the phone number is an external number.
- f. Click OK to confirm

Routing Step Settings	0 8				
Dial to Internal					
 Ring the following for 25 second(s) without Call Screenint Extension (2885) Mobile 					
🕕 🔲 Skype for Business Account					
Image: Image					
Mask ringtone with music e					
Forward to Voicemail					
Forward to Voicemail and announce	•				
	•				
fок	Cancel				

5. Click $\stackrel{\texttt{I}}{=}$ icon on the left hand side to bring up the Information menu:



6. Click the Pencil icon to bring up the schedule list. Under "Current Status", select "call forward specific". Click "OK" to confirm.





7. To reset to default, repeat steps 6 and 7. Under "Current Status", select "ring and vm". Click "OK" to confirm.